

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: July 07, 2023

Revision: July 07, 2023

1 Identification Product identifier · Trade name: Ameripolish Oil Ingester · Other means of identification: 19438 · Recommended use and restriction on use · Recommended use: Industrial uses. · Restrictions on use: For professional use only. Details of the supplier of the Safety Data Sheet · Manufacturer/Supplier: Ameripolish, Inc. 120 Commercial Ave Lowell, AR. 72745 USA (479) 725-0033 · Emergency telephone number: **Velocity EHS** (800)255-3924 (North America) +1 (813)248-0585 (International)

2 Hazard(s) identification

· Classification of the substance or mixture

Skin Irrit. 2 H315 Causes skin irritation.

Eve Irrit. 2A H319 Causes serious eye irritation.

Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

· Label elements

- · GHS label elements
- The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms:



GHS08 · Signal word: Danger · Hazard statements: H315 Causes skin irritation. H319 Causes serious eye irritation. H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. · Precautionary statements: P261 Avoid breathing mist, vapors, or spray. Wash thoroughly after handling. P264 Wear protective gloves/protective clothing/eye protection. P280 In case of inadequate ventilation wear respiratory protection. P284 P302+P352 IF ON SKIN: Wash with plenty of water. (Cont'd. on page 2)



AMERIPOLISH[®] architectural concrete products

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: July 07, 2023

Revision: July 07, 2023

Trade name: Ameripolish Oil Ingester

P304+P341	(Cont'd. of page 1) If inhaled: If breathing is difficult, remove person to fresh air and keep comfortable for
	breathing.
P305+P351+P33	38 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P342+P311	If experiencing respiratory symptoms: Call a POISON CENTER/doctor.
P362+P364	Take off contaminated clothing and wash it before reuse.
P501	Dispose of contents/container in accordance with local/regional/national/international
	regulations.

· Other hazards There are no other hazards not otherwise classified that have been identified.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

Component 1	Trade Secret	Trade
	Met. Corr.1, H290; Skin Corr. 1A, H314; Eye Dam. 1, H318	Secret
Component 2	Trade Secret	Trade
	Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2A, H319 Flam. Liq. 4, H227	Secret
Component 3	Trade Secret	Trade
	🚯 Eye Irrit. 2A, H319	Secret
Component 4	Trade Secret	Trade
	Met. Corr.1, H290; Skin Corr. 1B, H314; Eye Dam. 1, H318 STOT SE 3, H335	Secret
Component 5	Trade Secret	Trade Secret
Component 6	Trade Secret	Trade
-	Skin Corr. 1C, H314; Eye Dam. 1, H318	Secret
Component 7	Trade Secret	Trade
	X Resp. Sens. 1, H334	Secret
. Additional	Acute Tox. 4, H302; Skin Irrit. 2, H315; STOT SE 3, H335	

4 First-aid measures

· Description of first aid measures

· After inhalation:

Supply fresh air; consult doctor in case of complaints.

Provide oxygen treatment if affected person has difficulty breathing.

• After skin contact:

Immediately wash with water and soap and rinse thoroughly. Seek medical treatment in case of complaints.

(Cont'd. on page 3)

AMERIPOLISH[®] architectural concrete products

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: July 07, 2023

Revision: July 07, 2023

Trade name: Ameripolish Oil Ingester

(Cont'd. of page 2)

• After eye contact: Immediately remove contact lenses if possible.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. • After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

• Most important symptoms and effects, both acute and delayed:

Irritant to skin and mucous membranes.

Causes eye irritation.

Nausea in case of ingestion.

Gastric or intestinal disorders when ingested.

Cramp

Coughing

· Indication of any immediate medical attention and special treatment needed:

Contains subtilisin. May produce an allergic reaction.

If medical advice is needed, have product container or label at hand.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:

The product is not flammable.

Use fire fighting measures that suit the environment.

- For safety reasons unsuitable extinguishing agents: None.
- Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire.
- · Advice for firefighters
- **Protective equipment:** Wear self-contained respiratory protective device. Wear fully protective suit.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation.
- Environmental precautions Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- Methods and material for containment and cleaning up Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Send for recovery or disposal in suitable receptacles.
- Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.

(Cont'd. on page 4)



acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: July 07, 2023

Revision: July 07, 2023

Trade name: Ameripolish Oil Ingester

(Cont'd. of page 3)

See Section 13 for disposal information.

7 Handling and storage

· Handling

• **Precautions for safe handling:** Open and handle receptacle with care. Use only in well ventilated areas. Avoid contact with the eyes and skin. Avoid breathing mist, vapors, orspray. Keep out of reach of children.

· Information about protection against explosions and fires: No special measures required.

· Conditions for safe storage, including any incompatibilities

- · Storage
- · Requirements to be met by storerooms and receptacles:
- Store in cool, dry conditions in well sealed receptacles.
- · Information about storage in one common storage facility: Store away from foodstuffs.
- · Specific end use(s) No relevant information available.

 Components w 		
Components with limit values that require monitoring at the workplace:		
Component 1		
PEL (USA)	Long-term value: 2 mg/m ³	
REL (USA)	Ceiling limit value: 2 mg/m ³	
TLV (USA)	Ceiling limit value: 2 mg/m ³	
EL (Canada)	Ceiling limit value: 2 mg/m ³	
EV (Canada)	Ceiling limit value: 2 mg/m ³	
LMPE (Mexico)	Ceiling limit value: 2 mg/m ³	
Component 2		
PEL (USA)	Long-term value: 240 mg/m³, 50 ppm Skin	
REL (USA)	Long-term value: 24 mg/m³, 5 ppm Skin	
TLV (USA)	Long-term value: 97 mg/m³, 20 ppm BEI	
EL (Canada)	Long-term value: 20 ppm	
EV (Canada)	Long-term value: 20 ppm Skin	
LMPE (Mexico)	Long-term value: 20 ppm A3, IBE	



Safety Data Sheet acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: July 07, 2023

Revision: July 07, 2023

Trade name: Ameripolish Oil Ingester

	(Con	t'd. of page 4)
Component 3		
TLV (USA)	Long-term value: 67.5* mg/m ³ , 10* ppm *Inhalable fraction and vapor	
Component 5		
TLV (USA)	Long-term value: 5 mg/m ³	
EL (Canada)	Long-term value: 5 mg/m ³	
EV (Canada)	Long-term value: 3.1 mg/m ³ , 0.5 ppm	
LMPE (Mexico)	Long-term value: 5 mg/m ³	
Component 7		
REL (USA)	Short-term value: 0.00006* mg/m ³ *60-min	
TLV (USA)	Ceiling limit value: 0.00006 mg/m ³	
	as 100% crystalline active pure enzyme	
EL (Canada)	Ceiling limit value: 0.00006 mg/m ³ S	
EV (Canada)	Ceiling limit value: 0.00006 mg/m ³	
LMPE (Mexico)	Ceiling limit value: 0.00006 mg/m ³	
· Ingredients wit	th biological limit values:	
Component 2		
Med	mg/g creatinine dium: urine e: end of shift ameter: Butoxyacetic acid with hydrolysis	
General protec The usual preca Keep away from Avoid contact w Avoid breathing Wash hands be Engineering co Breathing equi Not required und Use suitable res	ective equipment: ctive and hygienic measures: autionary measures for handling chemicals should be followed. In foodstuffs, beverages and feed. with the eyes and skin. I mist, vapors, or spray. offore breaks and at the end of work. controls: No relevant information available. ipment: der normal conditions of use. spiratory protective device when aerosol or mist is formed. ratory protection may be advisable.	
Protecti	tive gloves	
The glove mater	rial has to be impermeable and resistant to the product/ the substance/ the prep (Cont	oaration. 'd. on page 6)



acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: July 07, 2023

Revision: July 07, 2023

Trade name: Ameripolish Oil Ingester

(Cont'd. of page 5)

· Eye protection:



Safety glasses

• Body protection: Protective work clothing

- Limitation and supervision of exposure into the environment No relevant information available.
- · Risk management measures No relevant information available.

Information on basic physical a	and chemical properties	
Appearance:	and chemical properties	
Form:	Liquid	
Color:	Amber colored	
Odor:	Slight	
	Fruit-like	
Odor threshold:	Not determined.	
pH-value:	9.5-12.49	
Melting point/Melting range:	Not determined.	
Boiling point/Boiling range:	Not determined.	
Flash point:	>93°C (>199.4 °F)	
Flammability (solid, gaseous):	Not applicable.	
Auto-ignition temperature:	Not determined.	
Decomposition temperature:	Not determined.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits		
Lower:	Not determined.	
Upper:	Not determined.	
Oxidizing properties:	Non-oxidizing.	
Vapor pressure:	Not determined.	
Density:		
Relative density:	1.03	
Vapor density:	Not determined.	
Evaporation rate:	Not determined.	
Solubility in / Miscibility with		
Water:	Soluble.	
Partition coefficient (n-octanol/wat	ter): Not determined.	
Viscosity		
Dynamic:	Not determined.	



acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: July 07, 2023

Revision: July 07, 2023

Trade name: Ameripolish Oil Ingester

(Cont'd. of page 6)

Kinematic: • Other information Not determined. No relevant information available.

10 Stability and reactivity

- · Reactivity: No relevant information available.
- [•] Chemical stability:
- Thermal decomposition / conditions to be avoided: No decomposition if used and stored according to specifications.
- **Possibility of hazardous reactions** Reacts with strong acids. Reacts with strong oxidizing agents.
- · Conditions to avoid Avoid acids.
- · Incompatible materials Strong acids
- · Hazardous decomposition products Carbon monoxide and carbon dioxide

11 Toxicol	1 Toxicological information		
 Informat Acute tox 		oxicological effects	
· LD/LC50	values th	at are relevant for classification:	
Compone	ent 2		
Oral	LD50	1480 mg/kg (rat)	
Dermal	LD50	1001-2000 mg/kg (rat)	
Inhalative	LC50/4h	450 ppm (rat)	
· Primary in		ect:	
 On the sk 			
		nucous membranes.	
		ncentrate strength based on InVitro Corrositex test criteria.	
On the ey			
Irritating e		in 21 days.	
· Sensitizat		III 21 days.	
e e l'e l'e la la		May produce an allergic reaction.	
		rough inhalation is possible with prolonged exposure.	
· IARC (Inte	ernationa	I Agency for Research on Cancer):	
None of th	ne ingredie	ents are listed.	
· NTP (Nati	onal Tox	cology Program):	
None of th	ne ingredie	ents are listed.	
· OSHA-Ca	(Occupa	tional Safety & Health Administration):	
None of th	ne ingredie	ents are listed.	
			(Cont'd. on page 8)



AMERIPOLISH[®] architectural concrete products

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: July 07, 2023

Revision: July 07, 2023

Trade name: Ameripolish Oil Ingester

(Cont'd. of page 7)

· Probable route(s) of exposure:

Ingestion.

Inhalation.

Eye contact.

Skin contact.

- · Acute effects (acute toxicity, irritation and corrosivity): Irritating to eyes and skin.
- Repeated dose toxicity: May cause sensitisation by inhalation.
- Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- · Carcinogenicity: Based on available data, the classification criteria are not met.
- **Reproductive toxicity:** Based on available data, the classification criteria are not met.
- STOT-single exposure: Based on available data, the classification criteria are not met.
- \cdot STOT-repeated exposure: Based on available data, the classification criteria are not met.
- · Aspiration hazard: Based on available data, the classification criteria are not met.

12 Ecological information

- · Toxicity
- · Aquatic toxicity No relevant information available.
- · Persistence and degradability No relevant information available.
- · Bioaccumulative potential: No relevant information available.
- · Mobility in soil: No relevant information available.
- · Additional ecological information
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

- · Uncleaned packagings
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

(Cont'd. on page 9)



Safety Data Sheet acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: July 07, 2023

Revision: July 07, 2023

Trade name: Ameripolish Oil Ingester

(Cont'd. of page 8)

UN-Number		
DOT, ADR, IMDG, IATA	Not regulated.	
UN proper shipping name DOT, ADR, IMDG, IATA	Not regulated.	
Transport hazard class(es)		
DOT, ADR, IMDG, IATA		
Class	Not regulated.	
Packing group		
DOT, ADR, IMDG, IATA	Not regulated.	
Environmental hazards		
Marine pollutant:	No	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex	ll of	
MARPOL73/78 and the IBC Code	Not applicable.	

 Safety, nearth ar mixture United States (US SARA 	nd environmental regulations/legislation specific for the substance or A)
· Section 302 (extre	mely hazardous substances):
None of the ingredi	ents are listed.
· Section 355 (extre	mely hazardous substances):
None of the ingredi	ents are listed.
· Section 313 (Spec	ific toxic chemical listings):
Component 2 Trade Se	
Component 3 Trade Se	cret
TSCA (Toxic Subs	tances Control Act)
All ingredients are	
· Proposition 65 (Ca	•
· Chemicals known	
None of the ingredi	ents are listed.
· Chemicals known	to cause reproductive toxicity for females:
None of the ingredi	ents are listed.
· Chemicals known	to cause reproductive toxicity for males:
None of the ingredi	ents are listed.
	(Cont'd. on page



acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: July 07, 2023

Revision: July 07, 2023

Trade name: Ameripolish Oil Ingester

(Cont'd. of page 9)

NL

· Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency):

Component 2 Trade Secret

· IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

• NIOSH-Ca (National Institute for Occupational Safety and Health):

None of the ingredients are listed.

· Canadian Domestic Substances List (DSL):

All ingredients are listed or exempt.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

 Abbreviations and acronyms: ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistant, Bio-accumulable, Toxique vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety and Health OSHA: Occupational Safety & Health Administration Flam. Liq. 4: Flammable liquids - Category 4 Met. Corr.1: Corrosive to metals - Category 1 Acute Tox. 4: Acute toxicity – Category 4 Skin Corr. 1A: Skin corrosion/irritation - Category 1A Skin Corr. 1B: Skin corrosion/irritation - Category 1B Skin Corr. 1C: Skin corrosion/irritation – Category 1C Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A Resp. Sens. 1: Respiratory sensitisation - Category 1 STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 Sources

(Cont'd. on page 11)



acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: July 07, 2023

Revision: July 07, 2023

Trade name: Ameripolish Oil Ingester

(Cont'd. of page 10)

Website, European Chemicals Agency (echa.europa.eu)
Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/ overview/home.do)
Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)
Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6
Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5.
Safety Data Sheets, Individual Manufacturers
SDS Prepared by:
Velocity EHS
1305 North Florida Avenue
Tampa, Florida USA 33602-2902
Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573
Website: www.chemtelinc.com

Document Number: SD3301.1